	Hits	Search Text	DBs
1	0	(dsss and fhss and mixers and ((frequency adj generator) or pll) and vco and filter and (spreading adj code))	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	3	((dsss and fhss) or ((spread adj spectrum) with ((direct adj sequence) and (frequency adj hopping)))) and mixers and ((frequency adj generator) or pll) and vco and filter and (spreading adj code)	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	0	((dsss and fhss) with (choose or select or choice or chooses or selects)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	43	(dsss with fhss) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	30537	(pll) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	653	(pll and vco and lpf and (mixer or detector)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	46	(dsss and fhss) and (rate or slow or slower or fast or faster) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	0	(dsss and fhss) and (fhss with (fast or faster)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	7	(fhss with (rate or fast or faster)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	8	(fhss with (rate or speed or fast or faster)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	3	((dsss and fhss) or ((spread adj spectrum) with ((direct adj sequence) and (frequency adj hopping)))) and mixers and ((frequency adj generator) or pll) and vco and filter and (spreading adj code) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	1	(fhss with (fast or faster)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	47	(dsss and fhss) and (@rlád < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	26	((375/130 or 375/132 or 375/133 or 375/134 or 375/135 or 375/136 or 375/137 or 375/140 or 375/141 or 375/145 or 375/146 or 375/147 or 375/149 or 375/150 or 375/219 or 375/220 or 375/295 or 375/316 or 375/327).ccls.) and (dsss and fhss) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	0	((dsss and fhss) with (choose or select or choice or chooses or selects or switch or switches)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	11	((dsss and fhss) same (choose or select or choice or chooses or selects or switch or switches or between)) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	11	((dsss and fhss) same (choose or select or choice or chooses or selects or switch or switches or between)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	48	dsss and fhss and switch$2	USPAT
19	55	dsss and fhss and (switch$2 or choos$2 or choice$1 or select$2) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	0	(dsss with fhss with (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	2	(dsss same fhss same (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	21	((dsss or fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
23	21	transmit$5 and ((dsss or fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	15	(transmit$5 with dsss) and ((dsss or fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	13	(transmit$5 with dsss) and modulat$5 and ((dsss or fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	11	(modulat$5 with dsss) and ((dsss or fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	11	(modulat$5 with (dsss or fhss)) and ((dsss or fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@rlad < "19980820" or @ad< "19980820" or @prad<"19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	9	(modulat$5 with (dsss or fhss)) and ((dsss or fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	0	(modulat$5 with (dsss or fhss)) and ((dsss and fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	0	(modulat$5 same (dsss or fhss)) and ((dsss and fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	0	(modulat$5 or transmit$5) and ((dsss and fhss) with (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
32	1410	(modulat$5 or transmit$5) and ((ss or (dsss and fhss)) with (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	934	(modulat$5 or transmit$5) and (("spread spectrum" or (dsss and fhss)) with (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	157	(modulat$5 or transmit$5) and (("spread spectrum" or (dsss and fhss)) near2 (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	144	("spread spectrum" with (modulat$5 or transmit$5)) and (("spread spectrum" or (dsss and fhss)) near2 (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	144	(("spread spectrum" or ("direct sequence$1" with "frequency hop$5") or (dsss and fhss)) with (modulat$5 or transmit$5)) and (("spread spectrum" or ("direct sequence$1" with "frequency hop$5") or (dsss and fhss)) near2 (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	0	((("direct sequence$1" with "frequency hop$5") or (dsss and fhss)) with (modulat$5 or transmit$5)) and ((("direct sequence$1" with "frequency hop$5") or (dsss and fhss)) near2 (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	0	((((direct adj sequence$1) with (frequency adj hop$5)) or (dsss and fhss)) with (modulat$5 or transmit$5)) and ((((direct adj sequence$1) with (frequency adj hop$5)) or (dsss and fhss)) near2 (switch$2 or choos$2 or choice$1 or select$2)) and (@ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	0	((375/130 or 375/132 or 375/133 or 375/134 or 375/135 or 375/136 or 375/137 or 375/140 or 375/141 or 375/145 or 375/146 or 375/147 or 375/149 or 375/150 or 375/219 or 375/220 or 375/295 or 375/316 or 375/327).ccls.) and (dsss and fhss and mixers and ((frequency adj generator) or pll) and vco and filter and (spreading adj code))	USPAT
40	2	wo-9638925-$.did.	EPO; JPO; DERWENT
41	12	"5887020"	USPAT
42	1	"5887020".pn.	USPAT
43	0	((multi-mode$5 adj transmi$10) or (multimode$5 adj transmi$10) or ((multi adj mode$5) adj transmi$10)) and fhss and dsss	USPAT
44	5	("5325394" | "5544156" | "5748668" | "5870378" | "6108369").PN.	USPAT
45	141	((multi-mode$5 adj transmi$10) or (multimode$5 adj transmi$10) or ((multi adj mode$5) adj transmi$10))	USPAT
46	10	((multi-mode$5 adj transmi$10) or (multimode$5 adj transmi$10) or ((multi adj mode$5) adj transmi$10)) and (375/???.ccls. or 370/???.ccls.)	USPAT
47	1288	(pll and vco and lpf) and (@rlad < "19980820" or @ad< "19980820")	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	1	((voice with dsss) and ((data or information) with fhss))	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	1	((voice or speech$2 or speak$5) with dsss) and ((data or information$2) with fhss)	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	0	(choos$5 or choic$5) with dsss with fhss with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	(choos$5 or choic$5 or select$5) with dsss with fhss with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
52	1	(choos$5 or choic$5 or select$5 or mod$5) with dsss with fhss with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	0	"20020054619".URPN.	USPAT
54	1	(choos$5 or choic$5 or select$5 or mod$5 or switch$5) with dsss with fhss with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or (turn$5 adj (on or off))) with dsss with fhss with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	2	"5661750".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	2	"5808558".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
58	2	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off or determin$5) with dsss with fhss with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB
59	1	((voice with dsss) and ((data or information) with fhss)) and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
60	23973	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off or determin$5) with (dsss or fhss or protoc$5) with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB
61	14006	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off or determin$5) with (dsss or fhss or protoc$5) with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10) and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
62	14468	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off or open$5 or clos$5 or determin$5) with (dsss or fhss or protoc$5) with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10) and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
63	1973	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off or open$5 or clos$5 or determin$5) with (dsss or fhss or (communicat$5 adj protoc$5)) with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10) and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	5	("5533121" | "5729226" | "5801695" | "6058110" | "6081556").PN.	USPAT
65	1	"6353666".URPN.	USPAT
66	2	"4652855".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	2	"5553094".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	2	"6172616".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB
69	150	(375/???.ccls.) and (choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off or open$5 or clos$5 or determin$5) with (dsss or fhss or (communicat$5 adj protoc$5)) with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10) and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	1	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with dsss with fhss with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	76	((choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)) and fhss and dsss	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
72	42	((choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with (data or information$5 or voic$5 or speech$5 or speak$5 or typ$10)) and fhss and dsss and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	13	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with ((data or information$5) and (voic$5 or speech$5 or speak$5)) and fhss and dsss and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	N/A	(375/???).ccls. and (choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with ((data or information$5) and (voic$5 or speech$5 or speak$5)) and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	36492	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with ((data or information$5) and (voic$5 or speech$5 or speak$5)) and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	256	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with ((data or information$5) and (voic$5 or speech$5 or speak$5)) and dsl and @ad< "19980820"	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	15	(US-6353666-$ or US-6081556-$ or US-6058110-$ or US-6434187-$ or US-6018651-$ or US-5805634-$ or US-6178426-$ or US-5386435-$ or US-6574730-$ or US-6185418-$ or US-6061385-$ or US-5808558-$ or US-6324206-$).did. or (DE-3331076-$ or US-20020054619-$).did.	USPAT; DERWENT

	Hits	Search Text	DBs
1	264	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with ((data or information$5) and (voic$5 or speech$5 or speak$5)) and dsl and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	172	(choos$5 or choic$5 or select$5 or switch$5) with ((data) and (voic$5 or speech$5)) and dsl and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	30	(375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) with ((data) and (voic$5 or speech$5)) and dsl and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	(375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near5 ((data) and (voic$5 or speech$5)) and dsl and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	9	(choos$5 or choic$5 or select$5 or switch$5) near5 between near5 ((data) and (voic$5 or speech$5)) and dsl and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	784	(choos$5 or choic$5 or select$5 or switch$5) near5 between near5 ((data) and (voic$5 or speech$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	19312	(choos$5 or choic$5 or select$5 or switch$5) near5 between near5 ((data) or (voic$5 or speech$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	12418	(choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) or (voic$5 or speech$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	393	(choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) and (voic$5 or speech$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	244	(choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
11	0	(choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and (dsss or fhss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	22	(choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and (hop$10) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	13	("5159592" | "5572528" | "5636220" | "5654959" | "5742596" | "5781612" | "5796727" | "5911123" | "5913176" | "5953663" | "5960073" | "5960344" | "6078805").PN.	USPAT
14	22	"6330244".URPN.	USPAT
15	24	((375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and @ad< "19980820") not ((choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and (hop$10) and @ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	(375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and (fhss or dsss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	1	(375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and (hop$10) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	25	(375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	2	"6307880".URPN.	USPAT
20	7	("5493609" | "5583922" | "5592538" | "5602902" | "5604711" | "5625678" | "5768351").PN.	USPAT

	Hits	Search Text	DBs
21	0	((("5493609" | "5583922" | "5592538" | "5602902" | "5604711" | "5625678" | "5768351").PN.) or ((375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and @ad< "19980820")) and (dsss or fhss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	1	((("5493609" | "5583922" | "5592538" | "5602902" | "5604711" | "5625678" | "5768351").PN.) or ((375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and @ad< "19980820")) and (hop$10) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	5	((("5493609" | "5583922" | "5592538" | "5602902" | "5604711" | "5625678" | "5768351").PN.) or ((375/???.ccls.) and (choos$5 or choic$5 or select$5 or switch$5) near5 between near2 ((data) with (voic$5 or speech$5)) and @ad< "19980820")) and (spread$10) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	29	(US-6353666-$ or US-6081556-$ or US-6058110-$ or US-6434187-$ or US-6018651-$ or US-5805634-$ or US-6178426-$ or US-5386435-$ or US-6574730-$ or US-6185418-$ or US-6061385-$ or US-5808558-$ or US-6324206-$).did. or (DE-3331076-$ or US-20020054619-$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	1	(voice with dsss) and (data with fhss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	0	(voice near5 dsss) and (data near5 fhss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	0	((voice or speech$5 or speak$5) near5 dsss) and ((information$5 or bit$2 or data) near5 fhss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
28	0	((voice or speech$5 or speak$5 or analog$5) near5 dsss) and ((information$5 or bit$2 or data or digital$5) near5 fhss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	2	((voice or speech$5 or speak$5 or analog$5) with dsss) and ((information$5 or bit$2 or data or digital$5) with fhss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	125	((voice or speech$5 or speak$5 or analog$5) with spread$5) and ((information$5 or bit$2 or data or digital$5) with (hop$10 and spread$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	82	((voice or speech$5 or speak$5 or analog$5) with spread$5) and ((information$5 or bit$2 or data or digital$5) with (hop$10 with spread$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	82	((voice or speech$5 or speak$5 or analog$5 or vocal$5) with spread$5) and ((information$5 or bit$2 or data or digital$5) with (hop$10 with spread$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	2	((voice or speech$5 or speak$5 or analog$5 or vocal$5) with dsss) and ((information$5 or bit$2 or data or digital$5) with (fhss)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	15	((voice or speech$5 or speak$5 or analog$5 or vocal$5) with dsss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	22	((information$5 or bit$2 or data or digital$5) with (fhss)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	2	(((voice or speech$5 or speak$5 or analog$5 or vocal$5) with dsss) and @ad< "19980820") and (((information$5 or bit$2 or data or digital$5) with (fhss)) and @ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
37	35	(((voice or speech$5 or speak$5 or analog$5 or vocal$5) with dsss) and @ad< "19980820") or (((information$5 or bit$2 or data or digital$5) with (fhss)) and @ad< "19980820")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	17	((((voice or speech$5 or speak$5 or analog$5 or vocal$5) with dsss) and @ad< "19980820") or (((information$5 or bit$2 or data or digital$5) with (fhss)) and @ad< "19980820")) and fhss and dsss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	11	(advantag$5 with dsss) and (advantag$5 with fhss)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	39	(sleep or power) with dsss and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	7	((sleep or power) with dsss) and fhss and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	11213	(choos$5 or choic$5 or select$5 or switch$5) with ((data) with (voic$5 or speech$5)) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	0	(choos$5 or choic$5 or select$5 or mod$5 or switch$5 or on or off) with (fhss with dsss) and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	0	(dsss or fhss) and dsl and @ad< "19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	404	(dsss or fhss) and @ad<"19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	358	(transmi$10) and (dsss or fhss) and @ad<"19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	290	(transmi$10) and (dsss not fhss) and @ad<"19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	290	(transmi$10) and (dsss and (not fhss)) and @ad<"19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
49	50	(transmi$10) and (dsss and fhss) and @ad<"19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	2	"4907267".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	26	"4907267".URPN.	USPAT
52	1	"4815121".pn.	USPAT
53	3	bocure.xp. and dsss and fhss	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	5	(375/146, 375/140, 375/135, 375/132, 375/130, 375/147, 375/136).ccls. and (switch$5 or choos$5 or choic$5) and voice and data and (dsss and fhss) and @ad<"19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	9	(375/146, 375/140, 375/135, 375/132, 375/130, 375/147, 375/136, 375/133, 375/134, 375/135, 375/137, 375/141, 375/145, 375/147, 375/149, 375/150, 375/219, 375/220, 375/295, 375/316, 375/329).ccls. and (switch$5 or choos$5 or choic$5) and voice and data and (dsss and fhss) and @ad<"19980820"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB